

### **HYPERJUICE®**

# 1.5M USB-C to USB-C and Lightning 60W Charging Cable

HJ4010 (1.5m\ 4.92ft)



**USER GUIDE** 

### **Table of Contents**

Safety Instructions		
Copyright	1	
Trademarks	1	
Regulatory Compliance	2	
FCC Conditions	2	
CE	2	
WEEE Information	2	
Introduction	3	
Package Contents	3	
Requirements	3	
Product Compatibility	3	
Operating System	3	
<b>Product Overview</b>	4	
Specifications	5	
Warranty	6	
Safety Warnings	8	
Technical Support	9	

Before attempting to connect, operate or adjust this product, please save and read the User Guide completely. The style of the product shown in this User Guide may be different from the actual unit due to various models.

### Copyright

This document contains proprietary information protected by copyright. All rights are reserved. No part of this guide may be reproduced by any mechanical, electronic or other means, in any form, without prior written permission of the manufacturer.

### **Trademarks**

Hyper, the ++Hyper logo, and HyperJuice are trademarks or registered trademarks of Targus International LLC, in the U.S. and in certain other countries. Windows is a registered trademark of Microsoft Corporation in the United States and/or other countries. Mac, macOS, iPad, and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. USB-C is a registered trademark of USB Implementers. Chromebook, Chrome OS and Google are trademarks of Google LLC. All trademarks and registered trademarks are the property of their respective owners or companies.

© 2024 Targus International LLC, 1211 North Miller Street, Anaheim, CA 92806 USA. All rights reserved.

### Regulatory Compliance

#### **FCC Conditions**

This equipment has been tested and found to comply with Part 15 Class B of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received and include interference that may cause undesired operation.

#### CE

This equipment is in compliance with the requirements of the following regulations: EN 55032/EN 55035

#### WEEE Information

For EU (European Union) member users: According to the WEEE (Waste electrical and electronic equipment) Directive, do not dispose of this product as household waste or commercial waste. Waste electrical and electronic equipment should be appropriately collected and recycled as required by practices established for your country. For information on recycling of this product, please contact your local authorities, your household waste disposal service or the shop where you purchased the product.







#### CAN ICES-003(B)/NMB-003(B)

Use of the Made for Apple badge means that an accessory has been designed to connect specifically to the Apple product(s) identified in the badge, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with an Apple product may affect writes to sepformance.

Apple, Apple TV, Apple Watch, iPad, iPad Air, iPad Pro, iPhone, and Lightning are trademarks of Apple Inc., registered in the U.S. and other countries. tvOS is a trademark of Apple Inc. Made for:

IPhone 4 Pro Max, iPhone 14 Pc, IPhone 14 Plus, IPhone 54, IPhone SE, Gid generation), IPhone 13 Pro Max, IPhone 13 Pro, IPhone 13, IPhone 13 Prin, IPhone 12 Prin, IPhone 12 Prin, IPhone 13 Prin, IPhone 15 Prin, IPhone 15

### Introduction

The HyperJuice 1.5m USB-C to USB-C and Lightning Hybrid 60W cable enables you to charge any device that is powered by USB-C or Lightning. Universally compatible with any USB-C or Lightning device, this cable supports USB-C to USB-C & Lightning device, this cable supports USB-C to USB-C & Lightning Power Delivery, allows for 60W of power delivery, provides 480Mbps of data transfer between USB-C to USB-C & Lightning devices. It is also compatible with the latest USB-IF Type-C cable standard for Extended Power output to 60W in power charging and data transfer. It provides ample reach to connect your Lightning & USB-C Apple devices, USB-C smartphone, tablet, or laptop for quick charging speeds. The built-in USB-C to Lightning C94 Chip ensures optimal performance and supports a maximum current of 3A. Elevate your charging and data transfer experience with Hyper's durable and tangle-free silicone USB-C to USB-C & Lightning cable.

### **Package Contents**

- HyperJuice® 1.5M USB-C to USB-C and Lightning 60W Charging Cable
- · User Guide

### Requirements

 USB-C devices that support USB-C or Lightning charging and devices that can transfer data.


### **Product Compatibility**

 Windows® PC, Mac®, iPad® (USB-C enabled), iPhone® (USB-C enabled), Chromebook™, Smart Phones (USB-C enabled), Universal compatibility with all USB-C devices

### **Operating System**

· Windows 10 and above, ChromeOS, macOS 10.10 and above

### **Product Overview**



Item	Description
1. USB-C Port	Connects to a USB-C device (Host computer or Device)
2. USB-C / Lightning Port	Connects to a USB-C device / Lightning device (Device)

### **Specifications**

Ports	USB-C (Host)	Supports USB 2.0 data transfers between USB-C devices on 480Mbps speed.
		Supports USB-C quick charging up to 60W.
USB-C / Lightning (Device)	Lightning	Supports USB 2.0 data transfers between USB-C devices on 480Mbps speed.
	Supports USB-C or Lightning quick charging up to 60W.	
Dimension & Wight	Length	1500mm / 59.06 inches
	Width	39.8mm / 1.57 inches
	Height	8.5mm / 0.33 inches
	Weight	47g / 0.1lb

#### 2 YEAR LIMITED WARRANTY

### PORTUGAL AND SPAIN CUSTOMERS: 3 YEARS LIMITED WARRANTY OR AS REQUIRED BY LOCAL LAWS.

We pride ourselves on the quality of our products. For complete warranty details and a list of our Worldwide offices, please visit www. HyperShop.com. Hyper product warranty does not cover any device or product that is not manufactured by Hyper (including, but not limited to, laptops, smartphones, devices, or any other product that may be used in connection with the Hyper product). Hyper Limited Warranty provided is subject to any rights and remedies the purchaser may have under local laws. ©2024 Hyper Products Inc 46721 Fremont BIvd. Fremont. CA 94538. All rights reserved.

## 2 ANS DE GARANTIE LIMITÉE CLIENTS DU PORTUGAL ET DE L'ESPAGNE: GARANTIE LIMITÉE DE 3 ANS OU TEL QUE REQUIS PAR LES LOIS LOCALES.

Nous sommes fiers de la qualité de nos produits. Pour obtenir les détails complets de la garantie et la liste de nos bureaux dans le monde, veuillez consulter le site www.HyperShop.com. La garantie des produits Hyper ne couvre aucun appareil ou produit qui n'est pas fabriqué par Hyper (y compris, mais sans s'y limiter, les ordinateurs portables, les smartphones, les appareils ou tout autre produit pouvant être utilisé en relation avec le produit Hyper). La garantie limitée Hyper fournie est soumise à tous les droits et recours dont l'acheteur peut disposer en vertu des lois locales. ©2024 Hyper Products Inc 46721 Fremont Blvd, Fremont, CA 94538. Tous droits réservés

### 2 AÑOS DE GARANTÍA LIMITADA PARA CLIENTES PORTUGUESES Y ESPAÑOLES: GARANTÍA LIMITADA DE 3 AÑOS O SEGÚN LO REQUIERA LA LEGISLACIÓN LOCAL

Estamos orgullosos de la calidad de nuestros productos. Para obtener información acerca de la garantía completa y consultar nuestra lista de oficinas en todo el mundo, visite www.HyperShop. com. La garantía del producto de Hyper no cubre ningún dispositivo o producto que no haya sido fabricado por Hyper (incluyendo, entre otros, ordenadores portátiles, smartphones, dispositivos o cualquier otro producto que pueda utilizarse con el producto de Hyper). La Garantía Limitada de Hyper proporcionada está sujeta a cualquier derecho y recurso que el comprador pueda tener según la legislación local. ©2024 Hyper Products Inc 46721 Fremont Blvd, Fremont, CA 94538. Reservados todos los derechos.

### AUSTRALIAN AND NEW ZEALAND CONSUMERS ONLY

Thank you for your purchase. Hyper warrants to the original purchaser that its products are free from defects in materials and workmanship and, during the specified warranty period. and lasts as long as the original purchaser owns the product. The warranty period is stated on the packaging or in the documentation provided with this Hyper product. Hyper's Limited Product Warranty excludes damage caused by accident, neglect, abuse, misuse, improper care, normal wear and tear, ownership transfer, or alteration. The limited warranty also excludes any product that is not manufactured by Hyper (including, without limitation, laptops, smartphones, devices, tablets, or any other non-Hyper item) that is used in connection with the Hyper product. In the event that the Hyper product has a defect in materials or workmanship Hyper will, after receiving a warranty claim and inspecting the product, at its discretion, do one of the following: repair, replace, or refund with the same or a similar product (or part) of no lesser quality and ship it to the original purchaser at Hyper's expense. As part of this inspection. proof of purchase will be required. There is no charge for inspection. To make a warranty claim, please contact Hyper Australia or New Zealand (see details below), or return the product to the place of purchase. The original purchaser must bear the cost of the delivery to Hyper. Under Australian and/ or New Zealand Consumer Laws, in addition to any warranty Hyper gives, our products come with guarantees that cannot be excluded. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are entitled to have the products repaired or replaced if they fail to be of acceptable quality and the failure does not amount to a major failure.

For any warranty question, contact Targus Australia Pty. Ltd. (i) by mail at Suite 2, Level 8, 5 Rider Boulevard, Rhodes NSW 2138, by phone AUS 1800 641 645 or NZ 0800 633 222 or by Email: infoaust@targus.com. For additional information, check out our website at targus.com/au/warranty.

### Safety Warnings

- · Do not expose to moisture or submerge in liquid.
- Store in a cool, dry place. Recommended Storage temperature: -20°C/-4°F to 65°C/149°F; Operating temperature: -20°C/-4°F to 45°C/113°F.
- Do not disassemble or attempt to re-purpose or modify the product in any manner.
- Stop using and contact manufacturer if the product is excessively hot, emitting odor, deformed or if you witness any other abnormalities.
- Avoid strenuous vibration, impact, extrusion on transportation, and keep the product away from intense sunlight and rain.
- Please dispose of discarded products properly according to local regulations.
- · Do not clean with harmful chemicals or detergents.
- Keep away from children under 3 years old for safety.
- · Be cautious of drops, bumps, abrasions, or impact.

### **Technical Support**

#### For technical questions, please visit:

Hyper Customer Support Email: support@hypershop.com

US Internet:

http://targus.com/us/support

Canada Internet:

http://www.targus.com/ca/support

Australia Internet:

http://www.targus.com/au/support

Email:

infoaust@targus.com

Telephone: 1-800-641-645

New Zealand Telephone:

0800-633-222 Latin America Email:

latam.soporte@targus.com



#### Supplier's Declaration of Conformity



Manufacturer/ Responsible Party: Hyper Products Inc

Tel: 1-844-674-6789

Address:

46721 Fremont Blvd.

Fax: 1-714-765-5599

Fremont CA 94538 USA

Internet: www.hypershop.com

Hereby declares that the Product

Trade name: HYPER

Product name: 1.5M USB-C to USB-C and Lightning 60W Charging Cable

Model number: HJ4010

Conforms to the following specifications

FCC CFR Title 47 Part 15 Subpart B and ANSI C63.4-2014 standard limits The test data & results are referred to the test report umber: SZEM240500419901

#### Supplementary Information:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Yu-Wen Chen Head of Product - Hyper Function Title

05/28/2024 Date Signed for and on behalf of Targus





### **Declaration of Conformity**

Manufacturer: Hyper Products Inc Address: 46721 Fremont Blvd.

Fremont CA 94538 USA

Importer: Targus Europe Ltd.
Address: Fourth Floor One London Rd.,

Staines, TW18 4EX, UK

Tel: 1-844-674-6789

Internet: www.hypershop.com Tel: +44 (0)20 8831 2000

Tel: +44 (0)20 8831 2000

We herewith confirm the following designated product <u>1.5M USB-C to USB-C and Lightning 60W Charging Cable</u>, Model No. <u>HJ4010</u>, Brand name "HYPER", complies with below UK legislation and relevant standards.

For the evaluation regarding the below legislation, the following standards were applied: Electromagnetic Compatibility Regulations 2016.

EN 55032: 2015+A11:2020+A1:2020 EN 55035: 2017+A11:2020

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

EN IEC 63000:2018

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Year to begin

Date

CE marking: 2024

Head of Product - Hyper Function Title

05/28/2024 Fremont CA USA

Place of Issue

Yu-Wen Chen Name

Signed for and on behalf of Hyper



CE

Tel: 1-844-674-6789

Internet: www.hypershop.com Tel: +44 (0)20 8831 2000

#### **Declaration of Conformity**

Manufacturer: Hyper Products Inc Address: 46721 Fremont Blvd.

Fremont CA 94538 USA

Importer: Targus Europe Ltd.
Address: Targus EMEA Account Management,

Van Hilststraat 19, 5145 RK
Waalwijk, Netherlands

We herewith confirm the following designated product 1.5M USB-C to USB-C and Lightning 60W Charging Cable, Model No. HJ4010, Brand name "HYPER", complies with EMC Directive 2014/30/EU, EU ROHS Directive 2011/65/EU and its amendment Directive (EU) 2015/863.

For the evaluation regarding the above Directives, the following standards were applied: Low-Voltage

EMC Directive: 2014/30/EU

EN 55032: 2015+A11:2020+A1:2020 EN 55035: 2017+A11:2020

RoHS Directive: 2011/65/EU and its amendment Directive (EU) 2015/863 EN IEC 63000:2018

Year to begin

CE marking: 2024

Head of Product - Hyper Yu-Wen Chen

Function Title

05/28/2024 Fremont CA USA

Date Place of Issue Signed for and on behalf of Hyper

Name

(This page intentionally left blank)

© 2024 HYPER PRODUCTS INC All rights reserved.